

## DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES

## DIVISION OF ENVIRONMENTAL HEALTH

## EATING &amp; DRINKING ESTABLISHMENT / FOOD ESTABLISHMENT

## INSPECTION REPORT

REASON		GRADE	Inspection Date:		ESTABLISHMENT NAME:	
Regular	✓		9/28/17		GAYINERO MARKET	
Follow-Up		13	Time In	Time Out	OWNER/OPERATOR:	
Complaint			9:30 AM	2:00 PM	NA, JENNIFER J	
Investigation		RATING	Sanitary Permit No.:		LOCATION: LOT 9BLK 1	Establishment Type:
Other:			20000-17000138		TRACT 159 740 GAYINERO	MANUFACTURER
			PERMIT STATUS:		Valid	Temporary
					Expired	

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner, as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED.		
	THE FOLLOWING VIOLATIONS WERE OBSERVED:		
2	FOOD ITEMS/INGREDIENTS NOT IN ORIGINAL CONTAINER THAT IS NOT PROPERLY LABELED FOOD ITEMS/INGREDIENTS SHALL BE PROPERLY LABELED TO PREVENT INADVERTENT CONTAMINATION OF FOOD DURING PREPARATION.	(2)	10/28/17
5	NO THERMOMETERS PROVIDED FOR REFRIGERATION UNITS. THERMOMETERS SHALL BE PROVIDED IN EQUIPMENT TO PROVIDE A MEANS FOR MONITORING AIR TEMPERATURES OF POTENTIALLY HAZARDOUS FOODS.	(2)	10/28/17
17	NO CHEMICAL TEST STRIPS PROVIDED FOR SANITIZING SOLUTION. A CHEMICAL TEST KIT SHALL BE PROVIDED TO ENSURE EFFICACY OF SANITIZER SOLUTION.	(1)	10/28/17

**I have read and understand the above violation(s) and I am aware of the corrective measures that I must take.**

**\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:**

(1), (3), (11), (12), (27), (28), (30), (41) & (45).

Received By (Name &amp; Title):

DEH Inspector (Name &amp; Title):

J. GARCIA EDITOR / D. MITCHELL EDITOR

DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES  
DIVISION OF ENVIRONMENTAL HEALTH

REASON		GRADE  13	Inspection Date: 9/28/17		ESTABLISHMENT NAME: GAYINERO MARKET	
Regular	✓		Time In 9:30 AM	Time Out 2:00 PM	OWNER/OPERATOR: NA, JENNIFER	
Follow-Up						
Complaint						
Investigation		RATING  B	Sanitary Permit No.: 20000-170001638		LOCATION: 740	Establishment Type:
Other:					GAYINERO, Y130	MANUFACTURER
			PERMIT STATUS: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Temporary <input type="checkbox"/> Expired			

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection, or sooner, as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal, a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
32	LACK OF SELF-CLOSING DEVICE ON BATHROOM DOORS. LACK OF SOAP AND PAPER TOWELS AT HANDWASH SINKS. A SELF-CLOSING DEVICE SHALL BE INSTALLED ON BATHROOM DOORS TO PREVENT PESTS & VECTORS ACCESS. SOAP & PAPER TOWELS SHALL BE PROVIDED TO PROMOTE PROPER HANDWASH HYGIENE.	(4)	10/28/17
8	OPEN BAGS OF FLOUR NOT PROPERLY STORED/NOT IN IMPERVIOUS CONTAINER AFTER OPENING & NOT COVERED. FOOD SHALL BE STORED & COVERED IN PROPER CONTAINER TO PREVENT RISK OF CONTAMINATION.	(4)	10/28/17
	PHOTOS TAKEN.		
	"B" PLACARD # 00943 ISSUED.		
	PIO BRIEFED ON ABOVE.		

**I have read and understand the above violation(s) and I am aware of the corrective measures that I must take.**

**\*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:**

(1), (3), (11), (12), (27), (28), (30), (41) & (45).

Received By (Name &amp; Title):

DEH Inspector (Name & Title):

J. GARCIA LEON

D. MITCHELL EDWARDS